

Tau (Phospho-Ser356) Antibody



Catalog Number: 11101-1, 11101-2 Amount: 50μg/50μl, 100μg/100μl

Swiss-Prot No. :P10636

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl,0.02% sodium azide and 50% glycerol. **Storage/Stability:** Store at -20°C/1 year

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from

Human Tau around the phosphorylation site of serine 356 (I-G-SP-L-D).

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.


Specificity/Sensitivity: Tau (phospho- Ser356) antibody detects endogenous levels of Tau only when phosphorylated at serine 356.

Reactivity: Human, Mouse, Rat

Applications:


Predicted MW: 48 62 78 kd

WB:1:500~1:1000 IF:1:100~1:200



p-peptide - +

Western blot analysis of extract from rat brain tissue using Tau (phospho- Ser356) antibody (#11101, Lane 1 and 2).



Immunofluorescence staining of methanol-fixed HeLa cells using Tau (phospho- Ser356) antibody (#11101, Red).

Background:

Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both. Axonal polarity is predetermined by tau localization (in the neuronal cell) in the domain of the cell body defined by the centrosome. The short isoforms allow plasticity of the cytoskeleton whereas the longer isoforms may preferentially play a role in its stabilization.

References:

Puig B, et al. (2005) Acta Neuropathol (Berl). 110(3):261-268. DeGiorgis JA, et al. (2005) J Proteome Res. 4(2): 306-315. Alonso Adel C, et al. (2004) J Biol Chem. 279(33): 34873-34881. Kyriakis J M, et al. (1994) Nature. 369: 156-160.