

Myc (Phospho-Ser373) Antibody



Catalog Number: 11036-1, 11036-2

Amount: 50μg/50μl, 100μg/100μl

Swiss-Prot No.: P01106

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl,0.02% sodium azide and 50% glycerol.

Storage/Stability: Store at -20°C/1 year

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human Myc around the phosphorylation site of serine 373.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatogramphy using non-phosphopeptide corresponding to the phosphorylation site.


Specificity/Sensitivity: Myc (phospho-Ser373) antibody detects endogenous levels of Myc only when phosphorylated at serine 373.

Reactivity: Human, Mouse, Rat

Applications:

Predicted MW: 60kd


IHC: 1:50~1:100 WB: 1:500~1:1000



P-Peptide - +

Immunohistochemical analysis of paraffin- embedded human breast carcinoma tissue, using Myc (phospho-Ser373) antibody (#11036).

Order: order@swbio.com



Western blot analysis of extracts from A431 cells untreated or treated with EGF using Myc(Phospho-Ser373) Antibody #11036.

Background:

Myc a proto-oncogenic transcription factor that plays a role in cell proliferation, apoptosis and in the development of human tumors.. Seems to activate the transcription of growth-related genes

References:

Baudino T A, et al. (2001) Mol Cell Biol. 21: 691-702.

Blackwood E M, et al. (1991) Science. 251:1211-1217.

Henriksson M, et al. (1996) Adv Cancer Res. 68: 109-182.