

## FHIT Antibody

Order: order@swbio.com



**Catalog Number:** 24293-1, 24293-2 **Amount:** 50μg/50μl, 100μg/100μl

Swiss-Prot No.: P49789

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl,0.02% sodium azide and 50% glycerol. **Storage/Stability:** Store at -20°C/1 year


**Immunogen:** The antiserum was produced against synthesized peptide derived from Human FHIT **Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Specificity/Sensitivity:FHIT Antibody detects endogenous levels of total FHIT

Reactivity: Human

**Applications:** 

Predicted MW:16kd WB:1:500-2000 IHC:1:50-200 IF/ICC:1:100-500



Western blot analysis on A549 cell lysate using FHIT Antibody

## Background:

This gene, a member of the histidine triad gene family, encodes a diadenosine 5',5"'-P1,P3-triphosphate hydrolase involved in purine metabolism. The gene encompasses the common fragile site FRA3B on chromosome 3, where carcinogen-induced damage can lead to translocations and aberrant transcripts of this gene. In fact, aberrant transcripts from this gene have been found in about half of all esophageal, stomach, and colon carcinomas.